

SERVICE REPORT OF CHIEF IN CHARGE

No. 1388

DIVISION OF FIRE

HOBOKEN, NEW JERSEY

Date October 24, 1981

Climatic Conditions:

Normal Other

Temperature _____

Fire: I hereby report that I responded to an alarm of fire from:

Telegraph _____ Auxiliary _____ Still X

Time 0413 2nd alarm _____ 3rd alarm _____ General _____ Return _____

ADDRESS ^{Fire} Location 1200 Washington St. OWNER Olga Ramos, Renaldo Negrón
 TYPE CONSTRUCTION Brick ADDRESS Hoboken, N.J.
 NO. OF STORIES 5 NO. OF FAMILIES 8 - 2 stores
 OCCUPANT Entire Building FLOOR LOCATION _____

ALARM CLASSIFICATION:

- Fire in Building
- Motor Vehicle
- Fire in Rubbish (Street)
- Fire in lot
- Other outdoor fire
- _____

- ALARM (NO FIRE)**
- Rescue or Emergency
 - Needless Call
 - Accidental Alarm
 - False Alarm Box No. _____
 - False Alarm Still

IF IN BUILDING:

- Apartments
- Dwellings
- Hotels, motels
- Other residential
- Institutions (Hospital)
- Garage
- Schools, colleges
- Public assembly
- Stores, offices
- Manufacturing
- Storage
- Miscellaneous

LOCATION OF FIRE: Ground floor hall, extending vertically through stairwell to involve upper four floors and roof.

LOSS ON BUILDING: Extensive fire to 2nd, 3rd, 4th, and 5th floors. 1st. floor slight fire, heavy water and smoke damage.

1202 Washington St. - Slight water to south side of building.

LOSS ON CONTENTS: Extensive to entire building.

Extinguishers Used		Hose Lines Used			Salvage Covers	
Amt.	Type	No.	Size	Total Feet	No.	Floor
	Soda-Acid					
	Pressurized Water					
	Foam 6% 3%	2	1 1/2-inch	600		
	Carbon Dioxide	5	2 1/2-inch	2200		
	Dry Chemical	3	3-inch	550		
	Foam HI-Ea					
	Dry Chemical G.P.					
		No.	Ladders Used		No.	Type
		2	Aerial	200		Refills Chemex
		1	Hand Ladders	20	15	Refills Scott

Other equipment used General tools

PUMPER OPER. TIME _____ Water Consumption 320,000 Gals.

Companies responding to above alarm: Engine Company No. 1 - 2 - 3 - 4
 Group(s) C Ladder Company No. 1 - 2
 Rescue Squad _____

Remarks:

Cause of fire: Undetermined, suspicious, under investigation.
 Fire origin: Ground floor hall, extending vertically to involve entire building.

On scene: - F.P. Bureau Capt Falco, F/F Giordano. HPD Det. Capt Donatacci. Public Service, Red Cross, V. Ambulance Corp.

Acting Chief Eric Mc Donald Relieved by A.C. Sheehan
 On Scene - Dir. Giordano, Mayor Cappiello

DIVISION OF FIRE

HOBOKEN, N. J.

COMPANY NO. 1 GROUP C DATE October 24 1981
 ADDRESS Location 12th Street Time Out 0413 Time Returned 1236
 Alarm from: Box No. _____ Telephone _____ Other W.D.
 Type of Building Building with 8 pumper 1st floor Other than Building _____
 Owner Name & Address _____
 Tenant Name & Address _____
 Location of Fire _____
 Extended to: _____

ALARM CLASSIFICATION

<input checked="" type="checkbox"/> Fire in Building <input type="checkbox"/> Motor Vehicle <input type="checkbox"/> Fire in Rubbish (Street) <input type="checkbox"/> Fire in lot <input type="checkbox"/> Other outdoor fire <input type="checkbox"/> _____ <input type="checkbox"/> _____	ALARM (NO FIRE) <input type="checkbox"/> Bomb Scare <input type="checkbox"/> Rescue or Emergency <input type="checkbox"/> Needless Call <input type="checkbox"/> Accidental Alarm <input type="checkbox"/> False Alarm Box No. <input type="checkbox"/> False Alarm Still
--	--

Extinguishers Used		Hose Lines Used			Salvage Covers	
Amt.	Type	No.	Size	Total Feet	No.	
	Foam 6% 3%		Booster			Floor
	Carbon Dioxide		1 1/2-inch			Floor
	Dry Chemical		2 1/2-inch			Roof
	Foam Hi-Er		3-inch			
	Dry Chemical G.P.					
		No.	Ladders Used		No.	Type
			Aerial		3	Mask Used
			Hand Ladders		3	Refills Scott

Other Equipment Used SAP's - gas't tank - bel ladder pipe - Saw - Hammer
 1st Hose Line From _____ size _____ Ft. nozzle _____ to _____
 2nd Hose Line From _____ size _____ Ft. nozzle _____ to _____
 3rd Hose Line From _____ size _____ Ft. nozzle _____ to _____
 Hydrant location _____ Pump time _____ total Water _____ gals.

Equipment damaged, destroyed or lost _____
 On Duty Men responded Donnell T.D., Nestante T.M.
 Off Duty Men responded James A. ... 8:43 AM
Joseph C. ... 8:30 AM
John ... 8:30 AM

Firemen or civilians injured _____
 Reported to A. K. M. Donnell Ordered to: main aerial to 5th fl

southwest of building - saw 20' of ladder to 2nd fl southwest of
building - attempted to climb - saw tape west side of building - 2nd fl
the way - started east of the building (south side of) a bit of ladder
around lot east - passed by it - saw aerial pipe - 5th fl - saw one person
and window - started 17' with 2 1/2" hose to roof - saw 1st floor
started to open fire (5) fire victims
from 5th fl. with apt via T.D.
 Company Commanding Officer Capt. ...
Capt. ...

DIVISION OF FIRE

HOBOKEN, N. J.

TRUCK COMPANY NO. 2 GROUP C DATE OCTOBER 24 1987
 ADDRESS Location 1200 WASH. ST. (102-12th St) Time Out 0913 Time Returned 1000
 Alarm from: Box No. _____ Telephone _____ Other SM-VAS
 Type of Building _____ Other than Building _____
 Owner Name & Address _____
 Tenant Name & Address _____
 Location of Fire _____
 Extended to: _____

ALARM CLASSIFICATION

- | | |
|--|--|
| <input checked="" type="checkbox"/> Fire in Building
<input type="checkbox"/> Motor Vehicle
<input type="checkbox"/> Fire in Rubbish (Street)
<input type="checkbox"/> Fire in lot
<input type="checkbox"/> Other outdoor fire
<input type="checkbox"/> _____
<input type="checkbox"/> _____ | ALARM (NO FIRE)
<input type="checkbox"/> Bomb Scare
<input type="checkbox"/> Rescue or Emergency
<input type="checkbox"/> Needless Call
<input type="checkbox"/> Accidental Alarm
<input type="checkbox"/> False Alarm Box No. _____
<input type="checkbox"/> False Alarm Still |
|--|--|

Extinguishers Used			Hose Lines Used			Salvage Covers	
Amt.	Type		No.	Size	Total Feet	No.	
	Foam 6%	3%		Booster			Floor
	Carbon Dioxide			1 1/2-inch			Floor
	Dry Chemical			2 1/2-inch			Roof
	Foam Hi-Ex			3-inch			
	Dry Chemical G.P.						
			No.	Ladders Used		No.	Type
			1	Aerial		3	Mask Used
				Hand Ladders			Refills Scott

Other Equipment Used K-1200 SAW, - 1 - PRESSURE NOZZLE - GEN'L TOOLS
 1st Hose Line From _____ size _____ Ft. _____ nozzle _____ to _____
 2nd Hose Line From _____ size _____ Ft. _____ nozzle _____ to _____
 3rd Hose Line From _____ size _____ Ft. _____ nozzle _____ to _____
 Hydrant location _____ Pump time _____ total Water _____ gals.
 Equipment damaged, destroyed or lost _____
 On Duty Men responded GRATA - TD, LA BRUNO - TM, LADNER - L
 Off Duty Men responded CAPT STANKIEWICZ, FF'S. DOLIANI - M. LISA.

Fireman or civilians injured _____
 Reported to DEPT CHIEF Mc DONALD Ordered to: DUPON ARRIVAL RAISED AERIAL TO TOP FL. SOUTH TO EFFECTUATE RESCUE OF 1 MALE & 1 FEMALE OCCUPANTS IN THEIR LATE 20'S. ② LADDER PIPE OPERATION ③ ASCEND TO ROOF OF 1200 WASH VIA 1202 WASH. TO NEXT ROOF. ④ LAY IN LINE OF 2-2 1/2" HOSE TO ROOF ⑤ U.C.F.D CAPT. SAIZ LAY IN (1) LINE OF 2 1/2" TO ROOF VIA HOLLOWAY & (2) LINE OF 1 1/2" TO TOP FL. HOLLOWAY (NOT US) ⑥ RESPONDED TO FIRE AT 310 OBS. HWY. WITH TRK. #1 -

Company Commanding Officer PRUDENTE

(OVER PLEASE)

DIVISION OF FIRE

HOBOKEN, N. J.

ENGINE COMPANY NO. 1 GROUP C DATE October 24 1981
 ADDRESS Location 1200 Wash. (102-12th St) Time Out 0417 Time Returned 1000
 Alarm from: Box No. _____ Telephone _____ Other S/A-VAS
 Type of Building 5 story brick Other than Building _____
 Owner Name & Address _____
 Tenant Name & Address _____
 Location of Fire _____
 Extended to: _____

ALARM CLASSIFICATION

<input checked="" type="checkbox"/> Fire in Building <input type="checkbox"/> Motor Vehicle <input type="checkbox"/> Fire in Rubbish (Street) <input type="checkbox"/> Fire in lot <input type="checkbox"/> Other outdoor fire <input type="checkbox"/> _____ <input type="checkbox"/> _____	ALARM (NO FIRE) <input type="checkbox"/> Bomb Scare <input type="checkbox"/> Rescue or Emergency <input type="checkbox"/> Needless Call <input type="checkbox"/> Accidental Alarm <input type="checkbox"/> False Alarm Box No. <input type="checkbox"/> False Alarm Still
--	--

Extinguishers Used		Hose Lines Used			Salvage Covers	
Amt.	Type	No.	Size	Total Feet	No.	
	Foam 6% 3%		Booster			Floor
	Carbon Dioxide		1 1/2-inch			Floor
	Dry Chemical	<u>2</u>	2 1/2-inch	<u>960</u>		Roof
	Foam Hi-Ez		3-inch			
	Dry Chemical G.P.					
		No.	Ladders Used		No.	Type
			Aerial			Mask Used
			Hand Ladders			Refills Scott

Other Equipment Used _____
 1st Hose Line From Pumper size 2 1/2" H. 450' nozzle Var to Fire
 2nd Hose Line From Pumper size 2 1/2" Ft. 500' nozzle Var to Two
 3rd Hose Line From _____ size _____ Ft. _____ nozzle _____ to _____
 Hydrant location 12th St. N.W. Cor. Pump time 4 min total Water 120,000 gals.
 Equipment damaged, destroyed or lost _____
 On Duty Men responded SHREATH - E, DARSO - H, ALMO - H
 Off Duty Men responded _____

Fireman or civilians injured _____
 Reported to DEP. CHIEF MC DONALD Ordered to: LAY IN 2 LINES OF 2 1/2"
(FEEDER) TO T-Y AERIAL LADDER PIPE & LAY IN LINE OF
1 1/2" VIA FIRE ESCAPE OF 1200 WASH. TO EXTINGUISH
FIRES ON ALL FLOORS AT REAR.

(2) Reported to D.C. Shelton at 0600 hrs and was ordered to set up
 with 2 1/2" lines making Co ready for service. Co took over battle
 in case of fire building and extinguished several small fires
OVER

Company Commanding Officer PRUDENTE

DIVISION OF FIRE

HOBOKEN, N. J.

ENGINE COMPANY NO: 3 GROUP C DATE OCT 23 1981
 ADDRESS Location 1201 Washington St Time Out 04:13 Time Returned 10:55
 Alarm from: Box No. Telephone Other Still
 Type of Building Other than Building
 Owner Name & Address
 Tenant Name & Address
 Location of Fire
 Extended to:

ALARM CLASSIFICATION

<input checked="" type="checkbox"/> Fire in Building <input type="checkbox"/> Motor Vehicle <input type="checkbox"/> Fire in Rubbish (Street) <input type="checkbox"/> Fire in lot <input type="checkbox"/> Other outdoor fire <input type="checkbox"/> _____ <input type="checkbox"/> _____	ALARM (NO FIRE) <input type="checkbox"/> Bomb Scare <input type="checkbox"/> Rescue or Emergency <input type="checkbox"/> Needless Call <input type="checkbox"/> Accidental Alarm <input type="checkbox"/> False Alarm Box No. <input type="checkbox"/> False Alarm Still
--	--

Extinguishers Used		Hose Lines Used			Salvage Covers	
Amt.	Type	No.	Size	Total Feet	No.	
	Foam 6% 3%		Booster			Floor
	Carbon Dioxide	2	1 1/2-inch	700		Floor
	Dry Chemical	2	2 1/2-inch	600		Roof
	Foam HI-Ex		3-inch			
	Dry Chemical G.P.					Masks
		No.	Ladders Used		No.	Type
		1	Aerial			Mask Used
		1	Hand Ladders			Refills Scott

Other Equipment Used 2 1/2" Jolt 1 1/2" GATE
 1st Hose Line From PUMPER size 2 1/2" Ft. 300 nozzle GATE to REAR OF BLDG
 2nd Hose Line From PUMPER size 2 1/2" Ft. 300 nozzle VAR to REAR OF BLDG
 3rd Hose Line From PUMPER size 1 1/2" Ft. 350 nozzle VAR to REAR
 Hydrant location GATE 1 1/2" Pump time 1:50 total Water gals.
 Equipment damaged, destroyed or lost 1201 BROADWAY ST
 On Duty Men responded MARZANO A. RENTAS CASTELLANO
 Off Duty Men responded

Firemen or civilians injured
 Reported to D. McDONALD Ordered to: STRETCH 2 1/2" AND 1 1/2" HOSE LINES TO REAR OF BLDG

Company Commanding Officer Capt. CALABRA

DIVISION OF FIRE

HOBOKEN, N. J.

COMPANY NO. 1 GROUP 1 DATE Oct 1 1951
 ADDRESS Location 125 Washington St Time Out 0113 Time Returned 0637
 Alarm from: Box No. _____ Telephone _____ Other 113
 Type of Building _____ Other than Building _____
 Owner Name & Address _____
 Tenant Name & Address _____
 Location of Fire _____
 Extended to: _____

ALARM CLASSIFICATION

<input checked="" type="checkbox"/> Fire in Building <input type="checkbox"/> Motor Vehicle <input type="checkbox"/> Fire in Rubbish (Street) <input type="checkbox"/> Fire in lot <input type="checkbox"/> Other outdoor fire <input type="checkbox"/> _____ <input type="checkbox"/> _____	ALARM (NO FIRE) <input type="checkbox"/> Bomb Scare <input type="checkbox"/> Rescue or Emergency <input type="checkbox"/> Needless Call <input type="checkbox"/> Accidental Alarm <input type="checkbox"/> False Alarm Box No. _____ <input type="checkbox"/> False Alarm Still
--	--

Extinguishers Used		Hose Lines Used			Salvage Covers	
Amt.	Type	No.	Size	Total Feet	No.	
	Foam 6% 3%		Rooster			Floor
	Carbon Dioxide		1 1/2-inch			Floor
	Dry Chemical	1	2 1/2-inch	450		Roof
	Foam Hi-Ex	1	3-inch	250		
	Dry Chemical G.P.					Masks
		No.	Ladders Used		No.	Type
			Aerial		2	Mask Used 5.7"
			Hand Ladders		3	Refills Scott

Other Equipment Used _____
 1st Hose Line From pumper 112 size 3" Ft. 450 nozzle jet to 6th pumper
 2nd Hose Line From pumper size 2 1/2" Ft. 450 nozzle jet to 12th pumper
 3rd Hose Line From _____ size _____ Ft. _____ nozzle _____ to _____
 Hydrant location 115 S. Washington St Pump time 2:45 total Water 1000 gals.
 Equipment damaged, destroyed or lost _____
 On Duty Men responded C. Kelly (C) Nardella (112) Mahon (11)
 Off Duty Men responded _____

Firemen or civilians injured _____
 Reported to W. Mc Donald Ordered to: 1st stretch 3" hose to feed
12 pumper stretch 2 1/2" hose to feed 12th pumper
spread 2 1/2" hand lines on south side of building
respond to 300 P. Avenue at 10th Street

Company Commanding Officer J. C. Brian

DIVISION OF FIRE

HOBOKEN, N. J.

Engine COMPANY NO. 4 GROUP D DATE Oct 24 1961
 ADDRESS Location 1200 Washington St Time Out 12:55 Time Returned 1:27
 Alarm from: Box No. Telephone Other
 Type of Building 5 Story Brick & family store Other than Building
 Owner Name & Address
 Tenant Name & Address
 Location of Fire
 Extended to:

ALARM CLASSIFICATION

<input checked="" type="checkbox"/> Fire in Building <input type="checkbox"/> Motor Vehicle <input type="checkbox"/> Fire in Rubbish (Street) <input type="checkbox"/> Fire in lot <input type="checkbox"/> Other outdoor fire <input type="checkbox"/> <u> </u> <input type="checkbox"/> <u> </u>	ALARM (NO FIRE) <input type="checkbox"/> Bomb Scare <input type="checkbox"/> Rescue or Emergency <input type="checkbox"/> Needless Call <input type="checkbox"/> Accidental Alarm <input type="checkbox"/> False Alarm Box No. <u> </u> <input type="checkbox"/> False Alarm Still
--	--

Extinguishers Used		Hose Lines Used			Salvage Covers	
Amt.	Type	No.	Size	Total Feet	No.	
	Foam 6% 3%		Booster			Floor
	Carbon Dioxide		1 1/2-inch			Floor
	Dry Chemical		2 1/2-inch			Roof
	Foam HI-Ex		3-inch			
	Dry Chemical G.P.					
		No.	Ladders Used		No.	Masks
			Aerial			Mask Used
			Hand Ladders			Refills Scott

Other Equipment Used
 1st Hose Line From size Ft. nozzle to
 2nd Hose Line From size Ft. nozzle to
 3rd Hose Line From size Ft. nozzle to
 Hydrant location Pump time total Water gals.
 Equipment damaged, destroyed or lost
 On Duty Men responded Manzeth # 7 City goblins (E) Valle (H)
 Off Duty Men responded

Firemen or civilians injured
 Reported to D. C. Sheehan Ordered to: Checked for
hot spots and wet down same.

Company Commanding Officer Capt. Moore

HOBOKEN, N.J. POLICE DEPARTMENT

Who
When
Where
What
Why
How

SUBJECT _____

TO _____

FROM _____

DAY & DATE _____

Dear Sir:

ENCLOSED IS A SYNOPSIS OF INVESTIGATION INTO THE
FIRE AT 102 TWENTH STREET, HOBOKEN, N.J., ON OCTOBER 25, 1961. (u) (67)

1. At about 0913 hours on October 24, 1961, a fire was reported at 102 Twentieth Street, Hoboken, N.J. which resulted in the death of eleven individuals, seven of whom were children, four to two, and extensive damage to the building. Upon a post-mortem examination of the scene and preliminary investigation the fire was listed as suspicious.
2. On October 25, 1961 the fire was officially listed as such and a liquid accelerant was believed to have been used.
3. Investigation revealed that at about 1127 hours on April 14, 1961, a small amount of fire was discovered in the basement of 1127 12th Ave. Hoboken, N.J. At about 2317 hours on April 18, 1961 an amount of fire was discovered in the hallway of 102 12th St. Hoboken, N.J. At about 0047 hours on May 19, 1961 an amount of fire was discovered in the hallway of 411 First St. Hoboken, N.J. It is noted that in these three aforementioned buildings there were no windows and that the fires resulted in little or no damage.
4. Investigation has further revealed that on October 13, 1961 a fire was discovered at 102 Twentieth Street, Hoboken, N.J. which resulted in the death of eleven individuals, seven of whom were children, four to two, and extensive damage to the building. Upon a post-mortem examination of the scene and preliminary investigation the fire was listed as suspicious.

HOBOKEN, N.J. POLICE DEPARTMENT

Who
When
Where
What
Why
How

SUBJECT _____

TO _____

FROM _____

DAY & DATE _____

Dear Sir:

5. On or about October 17, 1961 (O'Connell was notified by Charles A. Aoki (attorney for buyer) that a title of the above contract was being invoked in the contract on October 20, 1961. The provisions of contract were not met by the seller and Aoki was the plaintiff for damages. (See report dated 11-12-61)

6. On or about October 17, 1961 Mr. Zorn was contacted by a female identifying herself as the daughter of O'Connell. This female inquired what the cost of taxes would be in the real estate transaction did not go through. (See report dated 11-12-61)

7. Mr. Zorn did further state that he was contacted by a local realtor (Tony DeLacastro) sometime after October 19, 1961. Mr. DeLacastro stated that he was contacted by Juana Verycken (O'Connell's daughter) who desired to list 102 Dwight St. for sale with his agency. Mr. Zorn informed Mr. DeLacastro that the building was under contract to his client.

While Cappock also stated that on some unspecified date she was contacted by Juana Verycken who stated that her mother no longer wanted to sell the building. Ms. Cappock informed her that the building was now under contract and referred her to her attorney. (See reports dated 10-28-61 and 11-12-61).

8. On October 24, 1961 O'Connell was contacted by herself, and she requested an opinion on a contract (attached). She stated that she did not have any further information concerning the building at 102 Dwight Street and that she was not the owner.

Common Law

HOBOKEN, N.J. POLICE DEPARTMENT

Who
When
Where
What
Why
How

SUBJECT _____

TO _____

FROM _____

DAY & DATE _____

Dear Sir:

9. On October 24, 1931 (Luis) contacted Rafaela Ferrero, a former tenant of 102 Melrose St. and witness. Ferrero advised him that if the police required any further information from him that he should inform them to contact the attorney who had and she had given him. (See Statement 9A).
10. Luis Ferrandez (witness) retained council Attorney James Deer on November 18, 1931. Attorney was recommended by Oliva's attorney Magliano (See reporter dated 11-18-31).
11. On or about November 16, 1931 an attempt was made to contact Joseph Verycken (Juana's husband) went. Minutes later attorney Magliano contacted Detective Bureau and informed that he now represented Joseph Verycken also.
12. Further investigation information was developed that Luis Ferrandez was having an affair with Oliva Ferrero and that during the affair he threatened his life and the life of Juana Ferrero of the affair. (See Statements 5-8-31 & 9B.)
13. Inconsistencies between Rafaela Ferrero and Luis Ferrandez's statements. RE: seriousness of threat, Ferrandez's actions in light of file.
14. Ferrero Ferrandez's role in the affair, and in the attempt to ... (See 10)

HOBOKEN, N.J. POLICE DEPARTMENT

Who
When
Where
What
Why
How

SUBJECT _____

TO _____

FROM _____

DAY & DATE _____

Dear Sir:

- 15. Witnesses report seeing dark car on street at time of fire (see statements 7-12).
- 16. Reynaldo Negro owns a black Chrysler color car. (see statement # 13).
- 17. 1 drawing of Reynaldo Negro confiscated in concert search on October 24, 1981 sent to state police lab along with debris from fire scene.
- 18. On ~~December~~ December 13, 1981 lab reports received. Specimens from hallway positive for mixture of volatiles characteristic with turpentine.
- 19. Shirt worn by Reynaldo Negro positive for mixture of volatiles characteristic with turpentine.
- 20. Yellow container containing clear liquid (delivered to lab) analyzed and found to be nit-similar with turpentine.
- 21. Juan Veyesen's actions cannot be verified because of 0413 hours of night of fire.
- 22. Luis Hernandez's actions cannot be verified because of 0413 hours of night of fire.
- 23. ...

DEPARTMENT OF PUBLIC SAFETY
FIRE REPORT

DATE 11/21/01 TIME 2334 Hours

TYPE OF ALARM: STILL BOX 737 LOCATION _____

ENGIN CO. # 1,2,3,4 TRUCK CO. # 1,2 COMMANDED BY Dept. Chief Shoshan

ALARM SOUNDED BY _____ ADDRESS 78-92 River Street

BUILDING CONSTRUCTION Brick OCCUPIED AS Hotel

ELEVATION IN STORIES 5 NO. OF FAMILIES _____ STORES 3

OWNED BY Walter Bush ADDRESS Queens, New York

FIRE LOCATED IN APT. # 31-32 FLOOR 3 DIRECTION _____ FRONT OR REAR _____

OCCUPIED BY _____ ADDRESS _____

SPECIFIC LOCATION OF FIRE Apartment On East Side Of Building 3rd. Floor

OTHER CAUSES FOR SOUNDING ALARM

FALSE _____ WATERSURGE _____ A.D.T. ALARM _____ AUTO _____ BRUSH _____ GAS LEAK _____

AUTO REGISTRATION _____ SERIAL # _____

OWNER _____ ADDRESS _____

DRIVER'S LICENSE # _____ MAKE OF CAR _____

CAUSE OF FIRE Undertorn fuel

DAMAGE: NONE () SLIGHT () MODERATE () TOTAL LOSS ()
SMOKE () WATER () EXTENSIVE (X)

OTHER TENANTS INVOLVED

FLOOR # _____ NORTH _____ SOUTH _____ EAST _____ WEST _____

1ST _____ See Page 42

2ND _____

3RD _____

4TH _____

5TH _____

PERSONS INJURED Fireman John Smith age 53 Hoboken Fire Dept. Smoke Inhalation

Person James Azocetta age 24 H.F.D. Smoke Inhalation Peter Lyden 6Mos. Lydia R

Police Detail in Charge of
Yvelyn Rivera, Robert Herlichy age 41, Timothy Smith
Peter Byszowski age 71, Luis Mejias age 5, Noven Lissette age 3, Lydia Rivera a

AGENCY AGENCIES RESPONDING: AMBULANCE X WELFARE _____ PUBLIC SERVICE X

REPORTED BY Patrolman Robert Castellano TO _____

PRELIMINARY _____ REMARKS on scene Mayor Steven, Direct

Chief Crimmins, Director Bill Van Lee, Jersey City Gang C

Chief Alfred Gerlach, Jersey City Fire Dept, Union City Fire Dept

Hoboken Ambulance, Union City Ambulance.