

SERVICE REPORT OF CASE IN CHARGE

No.

DIVISION OF FIRE

HOBOKEN, NEW JERSEY

Date October 12, 1981

Climatic Conditions:
Normal Other

Temperature 50.1s

Sir: I hereby report that I responded to an alarm of fire from:

Telograph Box 112 Auxiliary Still XXX
Time 1036 2nd alarm 1038 3rd alarm 1038 General Return 1424

ADDRESS Fire 67 Park Ave. OWNER Tena Mohamed
TYPE CONSTRUCTION Ordinary ADDRESS 9023 54th St EIMMURST NY
NO. OF STORIES 5 NO. OF FAMILIES 10
OCCUPANT See Attached list FLOOR LOCATION Entire Building

ALARM CLASSIFICATION:

- Fire in Building
- Motor Vehicle
- Fire in kubbish (Street)
- Fire in lot
- Other outdoor fire
-

- ALARM (NO FIRE)**
- Rescue or Emergency
 - Needless Call
 - Accidental Alarm
 - False Alarm Box No.
 - False Alarm Still

IF IN BUILDING:

- Apartments
- Dwellings
- Hotels, motels
- Other residential
- Institutions (Hospital)
- Garage
- Schools, colleges
- Public assembly
- Stores, offices
- Manufacturing
- Storage
- Miscellaneous

LOCATION OF FIRE 2nd floor interior hallway fully involved on arrival heavy fire and smoke showing 2nd & 3rd floor rear, spreading vertical & horizontally consuming entire building
LOSS ON BUILDING Entire building destroyed

LOSS ON CONTENTS Contents of entire building destroyed

Extinguishers Used		Hose Lines Used			Salvage Covers	
Amt.	Type	No.	Size	Total Feet	No.	Floor
	Soda-Acid					
	Pressurized Water					
	Foam 8% 3%	2	1 1/2-inch	700'		
	Carbon Dioxide	3	2 1/2-inch	1300'		
	Dry Chemical	3	3-inch	1150'		
	Foam Hi-Ex					
	Dry Chemical G.P.					
		No.	Ladders Used		No.	Type
		2	Aerial			Refills Chemos
		2	Hand Ladders 14' / 35'		21	Refills Scott

Gen'l tools Partner Saw 2 Deluge sets 2 Ladder Pipes 1 Red Ladder
Other equipment used 2 Deluge sets 2 Ladder Pipes 1 Red Ladder

PUMPER OPER. TIME Water Consumption Gals.

Companies responding to above alarm:
Group(s) D Engine Company No. 1 - 2 - 3 - 4
Ladder Company No. 1 - 2
Rescue Squad

Remarks:
Cause of fire: Undetermined - Under investigation - Fire presented severe life hazard to occupants upon arrival in rear of building... Demolition crane called to scene. Ambrosia Sons Building being Raze visual search being made for 3 unaccounted people... P.S. shut of electric/gas to 67/69 Park Ave. Moderate fire/damage to 69 Park Ave Top floor south water. Fire watch maintained at scene.



Deputy Chief Joseph J. Sheels
Chief Houn - Director Giordano - Mayor Cappiello
Capt. Falco - Elec Insp P. Marzocca

CITY OF HOBOKEN
DIVISION OF FIRE

1324

RADIO AND TELEPHONE OPERATOR'S REPORT

DATE 10/12/81 TIME 1036 / 1121

OPERATOR JACK TORSO

ALARM - HOW RECEIVED - Box 113 Stn (21) (200) (1) (1)

2nd ALARM 1038

3rd ALARM _____ GENERAL ALARM _____

ADDRESS 67 PARK AVE

OWNER L. K. DANN

TYPE OF BUILDING BRICK

NO. OF STORIES 5

TYPE OF OCCUPANCY 10 FAMILIES

FIRE LOCATION 1st FLOOR INTERIOR FULLY INVOLVED. UPON FIRE

AT 2nd FLOOR REAR FIRE SPREADING VERTICALLY UP ENTIRE CORRIDOR
CAUSE OF FIRE UNDETERMINED PENDING INVESTIGATION

APPROXIMATE DAMAGE ENTIRE BUILDING AND ITS CONTENTS

OCCUPANT'S NAME _____

REQUEST FOR MUTUAL AID: _____

TIME CALLED: 1043 RELEASED TIME: 1151

COMPANIES AND LOCATION: GRUES, C. REEDS & BLOOR, 1001 W. 11th

PROTECTIVE - 1st FLOOR CLIMBERS (Capt. BROWN IN CHARGE) JERSEY CITY FD STATION 2

AT F.I. 1st CLIMBERS (Capt. McCAUSLAND & Capt. DUGAN IN CHARGE)

CASUALTIES: INJURED _____ DEAD _____

FIREFIGHTERS _____

CIVILIANS 9 - _____

PLUMMERMAN 3 SMOKE INHALETTION & RELEASED

(PLUMMERMAN J. FITZSIMMONS, PAUL T. WHITE, PAUL D. MURPHY)

3 SEVERELY INJURED TRANSPORTED TO ST. BARRABAS HOSPITAL IN LIVINGSTON

COMPANIES RESPONDING: Group(s) D Engine Co. Nos. 1234 Truck Co. Nos. 12

CHIEF IN CHARGE D. C. SAICHELLI

REMARKS: 2 PEOPLE SERIOUSLY INJURED (KAROLEEN & PATTI)

WAS HELD UNDER #29 - FRONT RESPONDER RECALLED PAUL SAICHELLI

WOMAN (NAME & AGE ??) INJURED IN HOSPITAL (NAME & AGE ??)

RECALLED #9 - DANN SAICHELLI - 7:00 AM

[Signature]
Radio/Telephone Operator's Signature

DIVISION OF FIRE

HOBOKEN, N. J.

Ladd COMPANY NO. 1 GROUP D DATE Oct 12 1951
 ADDRESS Location 67 South Ave. Time Out 11:38 Time Returned 11:36
 Alarm from: Box No. 117 Telephone _____ Other 51A V.A.S. 7
 Type of Building _____ Other than Building _____
 Owner Name & Address _____
 Tenant Name & Address _____
 Location of Fire _____
 Extended to: _____

ALARM CLASSIFICATION

<input checked="" type="checkbox"/> Fire in Building <input type="checkbox"/> Motor Vehicle <input type="checkbox"/> Fire in Rubbish (Street) <input type="checkbox"/> Fire in lot <input type="checkbox"/> Other outdoor fire <input type="checkbox"/> _____ <input type="checkbox"/> _____	ALARM (NO FIRE) <input type="checkbox"/> Bomb Scare <input type="checkbox"/> Rescue or Emergency <input type="checkbox"/> Needless Call <input type="checkbox"/> Accidental Alarm <input type="checkbox"/> False Alarm Box No. _____ <input type="checkbox"/> False Alarm Still
--	--

Extinguishers Used		Hose Lines Used			Salvage Covers	
Amt.	Type	No.	Size	Total Feet	No.	
	Foam 6% 3%		Booster			Floor
	Carbon Dioxide		1 1/2-inch			Floor
	Dry Chemical		2 1/2-inch			Roof
	Foam Hi-Er		3-inch			
	Dry Chemical G.P.					
		No.	Ladders Used		No.	Type
		1	Aerial	111'	4	Mask Used
		1	Hand Ladders	35'	4	Refills Scott

Other Equipment Used Gun Tools + Hometite saw
 1st Hose Line From _____ size _____ Ft. _____ nozzle _____ to _____
 2nd Hose Line From _____ size _____ Ft. _____ nozzle _____ to _____
 3rd Hose Line From _____ size _____ Ft. _____ nozzle _____ to _____
 Hydrant location _____ Pump time _____ total Water _____ gals.
 Equipment damaged, destroyed, or lost _____
 On Duty Men responded arrived at 7:10, 7:15, 7:15, 7:15, 7:15, 7:15
 Off Duty Men responded 1056 hrs, C. Crivello, 1056 hrs, 2 gals.

Firemen or civilians injured _____
 Reported to P. G. Shedd Ordered to: Port level in pipe in
sub 2 in operation assist with search level in
sub 3 to exit. Home P.F. with search light 69 sub 1
extreme heat of area. 69 sub 1 search area. Home P.F.
to sub 2. 1056 hrs. Home P.F. 1056 hrs. 1056 hrs.
PH 17 2:30. 1056 hrs.

Company Commanding Officer [Signature]

DIVISION OF FIRE

HOBOKEN, N. J.

COMPANY NO. 2 GROUP 11 DATE 12/12/51 1951
 ADDRESS Location 67 West Ave Time Out 10:54 Time Returned 11:24
 Alarm from: Box No. _____ Telephone _____ Other 200
 Type of Building _____ Other than Building _____
 Owner Name & Address _____
 Tenant Name & Address _____
 Location of Fire _____
 Extended to _____

ALARM CLASSIFICATION

<input checked="" type="checkbox"/> Fire in Building <input type="checkbox"/> Motor Vehicle <input type="checkbox"/> Fire in Rubbish (Street) <input type="checkbox"/> Fire in lot <input type="checkbox"/> Other outdoor fire <input type="checkbox"/> _____ <input type="checkbox"/> _____	ALARM (NO FIRE) <input type="checkbox"/> Bomb Scare <input type="checkbox"/> Rescue or Emergency <input type="checkbox"/> Needless Call <input type="checkbox"/> Accidental Alarm <input type="checkbox"/> False Alarm Box No. <input type="checkbox"/> False Alarm Still
--	--

Extinguishers Used			Hose Lines Used			Salvage Covers		
Amt.	Type		No.	Size	Total Feet	No.		
	Foam 6%	3%		Booster			Floor	
	Carbon Dioxide			1 1/2-inch			Floor	
	Dry Chemical			2 1/2-inch			Roof	
	Foam Hi-Ex			3-inch				
	Dry Chemical G.P.							
			No.	Ladders Used		No.	Masks	
			1	Aerial			Type	SAP
			1	Hand Ladders			Mask Used	4
							Refills Scott	7

Other Equipment Used General Tools, Saw, Buckler Pym, Red paper
 1st Hose Line From _____ size _____ Ft. _____ nozzle _____ to _____
 2nd Hose Line From _____ size _____ Ft. _____ nozzle _____ to _____
 3rd Hose Line From _____ size _____ Ft. _____ nozzle _____ to _____
 Hydrant location _____ Pump time _____ total Water _____ gals.
 Equipment damaged, destroyed or lost _____
 On Duty Men responded Carroll T.P., Bludsky T.M., Walker
 Off Duty Men responded _____

Firemen or civilians injured _____
 Reported to P.C. Shaban Ordered to: Raise aerial to roof
to get building across people on roof
to get across roof and get people down
to get power of building building after fire
to get across to back floor of building
for trapped persons

Company Commanding Officer E. Hodge

DIVISION OF FIRE

HOBOKEN, N. J.

COMPANY NO. 1 GROUP D DATE 12/12 1951
 ADDRESS Location 67 Park Ave Time Out 10:36 Time Returned 1:35
 Alarm from: Box No. _____ Telephone _____ Other _____
 Type of Building 2 story brick office Other than Building _____
 Owner Name & Address _____
 Tenant Name & Address _____
 Location of Fire 2nd floor 5th fl
 Extended to: _____

ALARM CLASSIFICATION

<input checked="" type="checkbox"/> Fire in Building <input type="checkbox"/> Motor Vehicle <input type="checkbox"/> Fire in Rubbish (Street) <input type="checkbox"/> Fire in lot <input type="checkbox"/> Other outdoor fire <input type="checkbox"/> _____ <input type="checkbox"/> _____	ALARM (NO FIRE) <input type="checkbox"/> Bomb Scare <input type="checkbox"/> Rescue or Emergency <input type="checkbox"/> Needless Call <input type="checkbox"/> Accidental Alarm <input type="checkbox"/> False Alarm Box No. <input type="checkbox"/> False Alarm Still
--	--

Extinguishers Used		Hose Lines Used			Salvage Covers	
Amt.	Type	No.	Size	Total Feet	No.	
	Foam 6% 3%					Floor
	Carbon Dioxide		Booster			Floor
	Dry Chemical	1	1 1/2-inch	200		Roof
	Foam HI-Ex	2	3/4-inch	500		
	Dry Chemical G.P.	3	2-inch	100		
		No.	Ladders Used		No.	Mesh
			Aerial		2	Mask Used ✓
			Hand Ladders			Refills Scott

Other Equipment Used _____
 1st Hose Line From Hydrant size 3/4 Ft. 200 nozzle to 2nd floor
 2nd Hose Line From Hydrant size 1 1/2 Ft. 350 nozzle to 1st fl
 3rd Hose Line From Hydrant size 2 1/2 Ft. 500 nozzle to 2nd floor
 Hydrant location 67 Park Ave Pump time _____ total water _____ gals.
 Equipment damaged, destroyed, or lost _____
 On Duty Men responded Sentinel E., D. Roberts H.
 Off Duty Men responded _____

Firemen or civilians injured _____
 Reported to P.C. Sheehan Ordered to: Get more fuel 1 1/2 line
to 2nd floor - supply aerial ladder pipe - 2nd floor hydrant - supply
ladders - 2nd fl

Company Commanding Officer S. Murawski

DIVISION OF FIRE

HOBOKEN, N. J.

COMPANY NO. 2 GROUP 1 DATE 11/10/1958
 ADDRESS Location 1111 11th St Time Out 10:35 Time Returned 11:41
 Alarm from Box No. 1111 Telephone _____ Other _____
 Type of Building _____ Other than Building _____
 Owner Name & Address _____
 Tenant Name & Address _____
 Location of Fire _____
 Extended to: _____

ALARM CLASSIFICATION

<input checked="" type="checkbox"/> Fire in Building <input type="checkbox"/> Motor Vehicle <input type="checkbox"/> Fire in Rubbish (Street) <input type="checkbox"/> Fire in lot <input type="checkbox"/> Other outdoor fire <input type="checkbox"/> _____ <input type="checkbox"/> _____	ALARM (NO FIRE) <input type="checkbox"/> Bomb Scare <input type="checkbox"/> Rescue or Emergency <input type="checkbox"/> Needless Call <input type="checkbox"/> Accidental Alarm <input type="checkbox"/> False Alarm Box No. _____ <input type="checkbox"/> False Alarm Still
--	--

Extinguishers Used		Hose Lines Used		Salvage Covers	
Amt.	Type	No.	Size Total Feet	No.	
	Foam 6% 3%		Booster		Floor
	Carbon Dioxide		1 1/2-inch		Floor
	Dry Chemical		2 1/2-inch 400'		Roof
	Foam HI-Ex		3-inch		
	Dry Chemical G.P.				
		No.	Ladders Used	No.	Masks
			Aerial		Type
			Hand Ladders		Mask Used
					Refills Scott

Other Equipment Used _____
 1st Hose Line From Hydrant size 3 1/2" Ft. 400 nozzle QAP to Bldg. rear
 2nd Hose Line From _____ size _____ Ft. _____ nozzle _____ to _____
 3rd Hose Line From _____ size _____ Ft. _____ nozzle _____ to _____
 Hydrant location 57 Garden St Pump time 2 min total water 10000 Gals.
 Equipment damaged, destroyed or lost _____
 On Duty Men responded Hyman, G. W. W. J. Stephens
 Off Duty Men responded _____

Firemen or civilians injured _____
 Reported to 2 C. Shuck Ordered to: Shuck 2 is in area
to rear of Bldg. take on 1 1/2" aerial top of Bldg.

Company Commanding Officer Capt. Yonacuk

DIVISION OF FIRE

HOBOKEN, N. J.

8114
 COMPANY NO. 3 GROUP D DATE Oct 12 1951
 ADDRESS Location 67 & 69 Park Ave
 Alarm from: Box No. 112 Telephone _____ Other _____
 Type of Building _____ Other than Building _____
 Owner Name & Address _____
 Tenant Name & Address _____
 Location of Fire _____
 Extended to: _____

ALARM CLASSIFICATION

<input checked="" type="checkbox"/> Fire in Building <input type="checkbox"/> Motor Vehicle <input type="checkbox"/> Fire in Rubbish (Street) <input type="checkbox"/> Fire in lot <input type="checkbox"/> Other outdoor fire <input type="checkbox"/> _____ <input type="checkbox"/> _____	ALARM (NO FIRE) <input type="checkbox"/> Bomb Scare <input type="checkbox"/> Rescue or Emergency <input type="checkbox"/> Needless Call <input type="checkbox"/> Accidental Alarm <input type="checkbox"/> False Alarm Box No. <input type="checkbox"/> False Alarm Still
--	--

Extinguishers Used		Hose Lines Used		Salvage Covers		
Amt.	Type	No.	Size	Total Feet	No.	
	Foam 6% 3%		Booster			
	Carbon Dioxide		1 1/2-inch	700	Floor	
	Dry Chemical	2	2 1/2-inch	400	Floor	
	Foam Hi-E.	2	3-inch	500	Roof	
	Dry Chemical G.P.	2				
		No.	Ladders Used		No.	Type
			Aerial		3	Mask Used
			Hand Ladders		3	Refills Scott

Other Equipment Used hose clamp, deluge set.
 1st Hose Line From Pumper size 1 1/2 Ft. 250 nozzle VAR to 5 floor
 2nd Hose Line From Pumper size 1 1/2 Ft. 450 nozzle VAR to Roof
 3rd Hose Line From Pumper size 2 1/2 Ft. 200 nozzle _____ to deluge set.
 Hydrant location Corner New & Hudson St Pump time 2 hrs total water 10,000 gals.
 Equipment damaged, destroyed or lost _____
 On Duty Men responded A. Schwarz (C) for Greene (H), W Hayes (H)
 Off Duty Men responded _____

Firemen or civilians injured _____
 Reported to DC Sheehan Ordered to: evacuated people
from buildings. 5 ladders in 2 line to deluge brought
in to 69 Park Ave. (2) 1 1/2 lines (1) to the top floor & (1) to
the roof. Assisted with over hauled up & returned
to 2nd. Earlier in the fire help to identified by pump line

Corpen / Commanding Officer Capt Martello
Capt W Ruduh.

DIVISION OF FIRE

HOBOKEN, N. J.

COMPANY NO. 4 GROUP P DATE Oct 12 1921
 ADDRESS Location 67 Park Ave Time Out 10:36 Time Returned 1:36
 Alarm from: Box No. _____ Telephone _____ Other V.R.S.
 Type of Building 5 story Brick 10 family Other than Building _____
 Owner Name & Address _____
 Tenant Name & Address _____
 Location of Fire Back Room Family Groceries
 Extended to: _____

ALARM CLASSIFICATION

<input checked="" type="checkbox"/> Fire in Building <input type="checkbox"/> Motor Vehicle <input type="checkbox"/> Fire in Rubbish (Street) <input type="checkbox"/> Fire in lot <input type="checkbox"/> Other outdoor fire <input type="checkbox"/> _____ <input type="checkbox"/> _____	ALARM (NO FIRE) <input type="checkbox"/> Bomb Scare <input type="checkbox"/> Rescue or Emergency <input type="checkbox"/> Needless Call <input type="checkbox"/> Accidental Alarm <input type="checkbox"/> False Alarm Box No. <input type="checkbox"/> False Alarm Still
--	--

Extinguishers Used		Hose Lines Used			Salvage Covers	
Amt.	Type	No.	Size	Total Feet	No.	
	Foam 5% 3%		Booster			Floor
	Carbon Dioxide		1 1/2-inch			Floor
	Dry Chemical		2 1/2-inch	800		Roof
	Foam H-Er	2	3-inch	500		
	Dry Chemical G.P.	2				
		Ladders Used				Mats
		No.			No.	Type
			Aerial			Matk Used
		1	Hand Ladders 14 ft Straight			Refills Scott

Other Equipment Used 14 ft Straight Ladder - Hose Clamp - De Luge set w/ Barrel & ty
 1st Hose Line From Hydrant size 3" Ft. 250 nozzle Fuel to Pump
 2nd Hose Line From Hydrant size 3" Ft. 250 nozzle Fuel to Pump
 3rd Hose Line From Pumper size 2 1/2" Ft. 400 nozzle VAR to Fuel
 4th hose line From Pumper size 2 1/2" Ft. 400 nozzle to De Luge set REAR OF
 Hydrant Location 5th corner Newark & Garden Pump line for total water 30,000 gals.
 Equipment damaged, destroyed or lost _____
 On Duty Men responded Maryetta (E) Vitolo (D) Santiago (A)
 Off Duty Men responded _____

Firemen or civilians injured _____
 Reported to W. C. Sheehan Ordered to: Stretch line from
back of 1st floor rear of fire escape. Look line to
second floor via fire escape. Attempted to advance
line down off fire escape by the heat & smoke
set up De Luge set in rear building covering
portion exposure, attacking main body of
fire. Pick up hose & returned to quarters.
 Company Commanding Officer Capt Moore

Lost hold down screw or disc for De Luge set,
 at fire scene.

1 MUNICIPALITY Hoboken		2 FILE NUMBER	3 SECTION CASE NUMBER 81-516H	4 COMMAND
5 Crime or Subject Fire Report		6 DATE OF CRIME Oct. 12, 1981	7 Victim or Suspect NEW ADDRESS Modesto Galicia, 7 Javier Galicin, 2	
5A NEW CRIME IF CHANGED		6A N.J. STATUTE	44 STATUS CRIME	45 STATUS CASE
ADDITIONAL VAL STOLEN PROPERTY		34A CURRENCY	35A JEWELRY	36A FURS
		37A CLOTHING	38A AUTO	39A MISC.

LIST NAME ONLY OF PREVIOUS ACCUSED - COMPLETE INFORMATION ON NEW ACCUSED - INCLUDE ADDITIONAL PERPETRATORS - SUSPECTS - RECORD ALL DEVELOPMENTS SINCE LAST REPORT - EXPLAIN ANY CRIME CHANGE - LIST ADDITIONAL INTERVIEWS OF VICTIMS - PERSONS CONTACTED - WITNESSES - EVIDENCE - TECHNICAL SERVICES - STOLEN PROPERTY - RECOVERED PROPERTY - COURT ACTION

Accused: 46 NUMBER ACCUSED _____ 48A New accused _____ 47A ADULT _____ 48A JUVENILE _____ 49A RACE _____ 50A SEX _____ 51A DATE OF BIRTH _____

INVESTIGATED BY: **Lt. Neal E. Hunt, HCPO
Inv. Michael Davis, HCPO
Capt. Raymond Falco, Hoboken Fire Dept.**

TYPE OF PREMISES: **5 Story Brick**

PURPOSE OF INVESTIGATION:

At 10:36 A.M. on this date, the Hoboken Fire Department responded to a still alarm at 67 Park Av. and found the entire 2nd Floor Hallway fully involved, with flames emanating from the front second and third floor windows. Because of the magnitude of the fire evident to the responding fire apparatus and the location of the fire, it is deemed suspicious.

FIRE SCENE INVESTIGATION:

On Monday, October 12, 1981, at approximately 10:00 A.M., investigator entered the first floor hallway and started to remove debris from the stairway which had collapsed, at this time, a small container which had no top was found while sifting for evidence. It was then noted that the fire on the first floor stairway was caused by radiant heat from a source of ignition on the second floor landing, as indicated by a survivor's statements of seeing a couch on fire which was on the second floor hallway. At this time, because of the danger of interior-collapse, it was decided to have the upper portions of the building razed to the second floor level which was the apparent point of origin.

52 TYPE NAME	58 BADGE	53 PAGE <u>1</u> OF <u>2</u> PAGES	54 DATE OF REPORT Nov 14, 1981
Signature <i>St. Neal Hunt</i>		55 COMMAND	56 SQUAD
<i>St. John Farley 11/16/81</i>			

SPECIFIC OFFENSE		MUNICIPAL	FILE NO.
		Hoboken	
STATUTE OR ORDINANCE (R.S., N.J.S., REV. OR D.)	LOCATION OF OFFENSE	DATE OF OCCURRENCE	
	67 Park Av., Hoboken	Oct. 12, 1981	

On Wednesday, October 14, at approximately 10:00 P.M., the undersigned with Capt. Falco, examined the second-floor hallway landing and located the bronze arm of the couch on the second floor landing. Also found in the debris were two metal cases similar to the can found on the afternoon of the fire. One of these cans had a small amount of liquid which gave the odor of a hydrocarbon. There were four large holes around the remains of the couch, appear to be caused by the pouring of a liquid accelerant on the floor. Photographs of the area were taken by Police Photographer Thomas Guillo.

The following items of evidence were removed for identification and laboratory examination and given to Capt. Falco:

1. Can of residue from around pour burn near couch.
2. Can of residue from pour hole at side of couch.
3. Control
4. Gallon can with small metal can containing liquid accelerant
5. Portion of BX cable from underneath second floor hallway
6. Piece of cloth from couch
7. Metal can similar to item #4 with imburnt section showing green color for possible identification purposes.

CONCLUSIONS: It is the opinion of the undersigned based on the elimination of accidental electrical origins by Electrical Inspector Paul Marzucca, that the fire was intentionally set in and around the couch which was in an upright position in the northwest corner of the second floor hallway, by the introduction of an unknown accelerant to the couch and floor.

AMENDED PROPERTY VALUATION	A. CURRENCY	B. JEWELRY	C. FURS	D. CLOTHING	E. LOCAL AUTO	F. MISCELLANEOUS	G. TOTALS
RANK	SIGNATURE OF OFFICER SUBMITTING REPORT			COMMAND	BADGE NUMBER		
	<i>[Signature]</i>			ALPO			
STATUS OF OFFENSE:				STATUS OF CASE			
<input type="checkbox"/> UNFOUNDED	<input type="checkbox"/> CLEARED BY ARREST	<input type="checkbox"/> NOT CLEARED	<input type="checkbox"/> EXCEPTIONALLY CLEARED	<input checked="" type="checkbox"/> PENDING ACTIVE	<input type="checkbox"/> PENDING INACTIVE	<input type="checkbox"/> CLOSED	
CLEARED BY ARREST OF:			CLASSIFICATION		RECLASSIFICATION:		
<input type="checkbox"/> JUV.	<input type="checkbox"/> ADULT	<input type="checkbox"/> JUV. & ADULT	<input type="checkbox"/> NARCOTIC OFFENDER				
READ, CLASSIFIED AND APPROVED BY:			DATE	TALLIED BY:	INDEXED BY:		
<i>[Signature]</i>			10/16/81				
SUPERVISOR				FILED BY:	PAGE NUMBER:	NO. OF PAGES:	
					2	2	

1 MUNICIPALITY Hoboken, N. J.		2 FILE NUMBER 81-516-N		3 SECTION CASE NUMBER		4 COMMAND Homicide	
5 Crime or Subject Arson-Homicide		6 DATE OF CRIME		7 Victim or Suspect NEW ADDRESS Javier Rosa age 2 Modesto Echavarria age 7			
8A NEW CRIME IF CHANGED		8A NJ STATUTE		44 STATUS CRIME		45 STATUS CASE	
ADDITIONAL VAL STOLEN PROPERTY		34A CURRENCY		35A JEWELRY		36A FURS	
				37A CLOTHING		38A AUTO	
						39A MISC	

LIST NAME ONLY OF PREVIOUS ACCUSED - COMPLETE INFORMATION ON NEW ACCUSED - INCLUDE ADDITIONAL PERPETRATORS - SUSPECTS - RECORD ALL DEVELOPMENTS SINCE LAST REPORT - EXPLAIN ANY CRIME CHANGE - LIST ADDITIONAL INTERVIEWS OF VICTIMS - PERSONS CONTACTED - WITNESSES - EVIDENCE - TECHNICAL SERVICES - STOLEN PROPERTY - RECOVERED PROPERTY - COURT ACTION

Accused: 46 NUMBER ACCUSED _____ 46A New accused _____ 47A ADULT _____ 48A JUVENILE _____ 49A RACE _____ 50A SEX _____ 51A DATE OF BIRTH _____

On Tuesday October 13, 1981 I went to the Hudson County Morgue to photograph the bodies of the two victims of the fire at Park Ave. Hoboken that occurred on Monday October 12, 1981. I did take 8 color photos of Javier Rosa, and Modesto Echavarria.

52 TYPE NAME		58 BADGE		53 PAGE _____ OF _____ PAGES		54 DATE OF REPORT	
Signature <i>[Signature]</i>		<i>[Signature]</i>		55 COMMAND		56 SQUAD	

1 MUNICIPALITY Hoboken		2 FILE NUMBER 81-516-H		3 SECTION CASE NUMBER		4 COMMAND Homicide	
5 Crime or Subject Arson/Homicide		6 DATE OF CRIME		7 Victim or Suspect NEW ADDRESS Javier Rosa Modesto Echavria			
8A NEW CRIME IF CHANGED		8A N.J. STATUTE		44 STATUS CRIME Active		45 STATUS CASE Open	
40A ADDITIONAL STOLEN PROPERTY VALUE		41A ADDITIONAL RECOVERED PROPERTY VALUE					
ADDITIONAL VAL STOLEN PROPERTY	34A CURRENCY	35A JEWELRY	36A FURS	37A CLOTHING	38A AUTO	39A MISC	
LIST NAME ONLY OF PREVIOUS ACCUSED - COMPLETE INFORMATION ON NEW ACCUSED - INCLUDE ADDITIONAL PERPETRATORS - SUSPECTS - RECORD ALL DEVELOPMENTS SINCE LAST REPORT - EXPLAIN ANY CRIME CHANGE - LIST ADDITIONAL INTERVIEWS OF VICTIMS - PERSONS CONTACTED - WITNESSES - EVIDENCE - TECHNICAL SERVICES - STOLEN PROPERTY - RECOVERED PROPERTY - COURT ACTION							

Accused: 46 NUMBER ACCUSED _____ 46A New accused _____ 47A ADULT _____ 48A JUVENILE _____ 49A RACE _____ 50A SEX _____ 51A DATE OF BIRTH _____

On November 5, 1981 I called the N.J.S.P. Lab in Little Falls, and spoke to Chemist Tom Lesniak with reference to The on-going examination of the arson evidence submitted on lab # 82281LF, 67 Park Ave., Hoboken. Lesniak stated that the only item of evidence to be ~~submitted~~ examined was item #4 which was the can of fluid found at the sofa on the second floor. Lesniak stated that this substance was found to be lighter fluid. The other 3 items of evidence submitted on the same request have not yet been examined.

52 TYPE NAME <i>Michael P. Davis</i> Signature Inv. Michael P. Davis		58 BADGE	53 PAGE 1 OF 1 PAGES	54 DATE OF REPORT 11/5/81
<i>John M. Farley</i> 11/6/81		55 COMMAND HCPO	56 SQUAD Homicide	